

L Number	Hits	Search Text	DB	Time stamp
1	166	((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:01
2	125	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @ad<20010629) (((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @rlad<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 13:59
3	378	((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 13:59
4	211	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @ad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:02
5	86	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:00
6	251	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @ad<20010629) (((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:00
7	226	(((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629) not (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @ad<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:04
8	12780	((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:12
9	1225	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3" ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13

10	851	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD) and @ad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13
11	292	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD) and @rlad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:02
12	950	(((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD) and @rlad<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:02
13	200	(((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629) not (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (anisotropic adj conduct\$3)) and @rlad<20010629)) and (prevent\$4 protect\$4 moisture dust debris particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:05
14	643	((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:12
15	133	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4)) and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13
16	89	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4)) and LCD) and @ad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13
17	21581	rl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13
18	45	((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4)) and LCD) and @rlad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13

19	109	(((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4) and LCD) and @ad<20010629) (((((transparent near3 conduct\$3 ) ( ((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3") ) "in.sub.2O.sub.3" ) near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12 (cover\$4) and LCD) and @rlad<20010629) NEC.asn. and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:25
20	3378		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:29
21	1334	(NEC.asn. and LCD) and (terminal end pad ((connection connecting) adj (region portion)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 15:28
22	31	((NEC.asn. and LCD) and (terminal end pad ((connection connecting) adj (region portion))) ) and (anisotropic adj conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 15:17
23	2	6,366,331.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 15:17
24	2019	(anisotropic adj conduct\$3) near12 (terminal end pad ((connection connecting) adj (region portion)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 15:29
25	5	((anisotropic adj conduct\$3) near12 (terminal end pad ((connection connecting) adj (region portion))) ) near12 (cover\$4 near2 (complete\$3 entire\$3 fully))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:18
26	1	4-32821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:18
27	0	4-032821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:18
28	7	"032821"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:22
29	0	1990jp-0140411.ap,prai.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:22
30	0	1990jp-140411.ap,prai.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 16:23